



Ref. Certif. No.

**SI-3620**IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST  
CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE)  
CB SCHEMESYSTEME CEI D'ACCEPTATION MUTUELLE DE  
CERTIFICATS D'ESSAIS DES EQUIPEMENTS  
ELECTRIQUES (IECEE) METHODE OC**CB TEST CERTIFICATE****CERTIFICAT D'ESSAI OC**Product  
Produit

Flush Mounted Installation Switches

Name and address of the applicant  
Nom et adresse du demandeurALING – CONEL d.o.o.  
Železnička 10, 21432 Gajdobra, SerbiaName and address of the manufacturer  
Nom et adresse du fabricantALING – CONEL d.o.o.  
Železnička 10, 21432 Gajdobra, SerbiaName and address of the factory  
Nom et adresse de l'usineALING – CONEL d.o.o.  
Železnička 10, 21432 Gajdobra, SerbiaNote: When more than one factory, please report on page 2  
Note: Lorsque il y a plus d'une usine, veuillez utiliser la 2<sup>ème</sup> page☐ Additional Information on page 3Ratings and principal characteristics  
Valeurs nominales et caractéristiques principales

10 A, 250 V~

Trademark (if any)  
Marque de fabrique (si elle existe)

ALING MODE

Type of Manufacturer's Testing Laboratories used  
Type de programme du laboratoire d'essais constructeur

/

Model / Type Ref.  
Ref. De type

See page 2-4 for Model / Type Ref.

Additional information (if necessary may also be reported  
on page 2)

/

Les informations complémentaires (si nécessaire, peuvent  
être indiqués sur la 2<sup>ème</sup> page☒ Additional Information on page 2-4A sample of the product was tested and found  
to be in conformity with  
Un échantillon de ce produit a été essayé et a été  
considéré conforme à la

IEC 60669-1:1998 (3rd Ed.) + A1:1999 + A2:2006

As shown in the Test Report Ref. No. which forms part of  
this Certificate  
Comme indiqué dans le Rapport d'essais numéro de  
référence qui constitue partie de ce Certificat

T211-0035/13, dated 2013-01-21

This CB Test Certificate is issued by the National Certification Body  
Ce Certificat d'essai OC est établi par l'Organisme **National de Certification**Slovenski institut za kakovost in meroslovje  
Slovenian Institute of Quality and Metrology  
Tržaška c. 2, SI-1000 Ljubljana, Slovenia  
Product Certification Body is accredited by Slovenian Accreditation, Reg. No.: CP-001

Date: 2013-01-21

Signature: Alja Pregl



**Model / Type reference list:**


Model No. / Type reference	Description	Pattern number
<b>art.655.x</b>	Single pole switch	1
<b>art.657.x</b>	Two way switch	6
<b>art.658.x</b>	Intermediate switch	7
<b>art.675.x</b>	Single pole switch with pilot light	1
<b>art.677.x</b>	Two way switch with pilot light	6
<b>art.678.x</b>	Intermediate switch with pilot light	7
<b>art.6551</b>	Single pole switch (supplied without actuating button)	1
<b>art.6751</b>	Single pole switch with pilot light (supplied without actuating button)	1
<b>art.6752.x</b>	Single pole switch with pilot light	1
<b>art.659.x</b>	Momentary contact switch (for luminaries)	1
<b>art.6591.x</b>	Momentary contact switch with pilot light (for luminaries)	1
<b>art.660.x</b>	Momentary contact switch (for bell)	1
<b>art.6601.x</b>	Momentary contact switch with pilot light (for bell)	1
<b>art.689.x</b>	Momentary contact switch	1
<b>art.690.x</b>	Momentary contact switch (for blinds) – paired 2 modules (6 + 1)	6 + 1
<b>art.6552.x</b>	Single pole switch with 2 M wide button (identical to art.655.x)	1
<b>art.6554.x</b>	Two pole switch with 2 M wide button (2 x art.655.x)	1+1
<b>art.6572.x</b>	Two way switch with 2 M wide button (identical to art.657.x)	6
<b>art.6590.x</b>	Momentary contact switch with 2 M wide button (for luminaries) (identical to art.659.x)	1
<b>art.65901.x</b>	Momentary contact switch with 2 M wide button with pilot light (for luminaries) (identical to art.6591.x)	1
<b>art.6600.x</b>	Momentary contact switch with 2 M wide button (for bell) (identical to art.660.x)	1
<b>art.66001.x</b>	Momentary contact switch with 2 M wide button (for bell) (identical to art.6601.x)	1

**Additional Model / Type reference list of switch sets due to commercial reasons:**

<b>art.6571</b>	Two way switch without button (sold separately) (identical to art.657.x)	1
<b>art.PP655.x</b>	Single pole switch (art.655.x packed together as 10 psc.)	1
<b>art.PP657.x</b>	Two way switch (art.657.x packed together as 10 psc.)	6
<b>art.PP658.x</b>	Intermediate switch (art.658.x packed together as 10 psc.)	7
<b>art.PP675.x</b>	Single pole switch with pilot light (art.675.x packed together as 10 psc.)	1
<b>art.PP677.x</b>	Two way switch with pilot light (art.677.x packed together as 10 psc.)	6
<b>art.PP678.x</b>	Intermediate switch with pilot light (art.678.x packed together as 10 psc.)	7
<b>art.PP6551</b>	Single pole switch (supplied without actuating button) (art.6551 packed together as 10 psc.)	1
<b>art.PP6751</b>	Single pole switch (supplied without actuating button) (art.6751 packed together as 10 psc.)	1
<b>art.PP6752.x</b>	Single pole switch with pilot light (art.6752.x packed together as 10 psc.)	1
<b>art.PP659.x</b>	Momentary contact switch (for luminaries) (art.659.x packed together as 10 psc.)	1

Date: 2013-01-21

Signature: Alja Pregl





Model No. / Type reference	Description	Pattern number
art.PP659I.x	Momentary contact switch with pilot light (for luminaries) (art.659I.x packed together as 10 psc.)	1
art.PP660.x	Momentary contact switch (for bell) (art.660.x packed together as 10 psc.)	1
art.PP660I.x	Momentary contact switch with pilot light (for bell) (art.660I.x packed together as 10 psc.)	1
art.PP689.x	Momentary contact switch (art.689.x packed together as 10 psc.)	1
art.PP690.x	Momentary contact switch (for blinds) – paired 2 modules (6 + 1) (art.690.x packed together as 5 psc.)	6 + 1
art.PP6552.x	Single pole switch with 2 M wide button (identical to art.655.x) (art.6552.x packed together as 5 psc.)	1
art.PP6554.x	Two pole switch with 2 M wide button (art.6554.x packed together as 5 psc.)	1+1
art.PP6572.x	Two way switch with 2 M wide button (identical to art.657.x) (art.6572.x packed together as 5 psc.)	6
art.PP6590.x	Momentary contact switch with 2 M wide button (for luminaries) (identical to art.659.x) (art.6590.x packed together as 5 psc.)	1
art.PP6590I.x	Momentary contact switch with 2 M wide button with pilot light (for luminaries) (identical to art.659I.x) (art.6590I.x packed together as 5 psc.)	1
art.PP6600.x	Momentary contact switch with 2 M wide button (for bell) (identical to art.660.x) (art.6600.x packed together as 5 psc.)	1
art.PP6600I.x	Momentary contact switch with 2 M wide button (for bell) (identical to art.660I.x) (art.6600I.x packed together as 5 psc.)	1
art.PP6571.x	Two way switch without button (sold separately) (identical to art.657.x) (art.6571.x packed together as 10 psc.)	1

**Type reference description:**

Example: art.655.x (x) is color code mark: 0 – white button, A – anthracit button,..)

**Method of actuating of switches:**

Momentary contact:

art.659.x, art.659I.x, art.660.x, art.660I.x, art.689.x, art.690.x, art.6590.x,  
art.6590I.x, art.6600.x, art.6600I.x


Rocker:

art.655.x, art.657.x, art.658.x, art.675.x, art.677.x, art.678.x, art.6551, art.6751, art.6752.x,  
art.6552.x, art.6554.x, art.6572.x, art.6571

Models in **bold letters** are basic switches. All other types listed are variations with wider actuating button (for 2 M) or marked differently due to comercial requirements ( for example: art.PP657.x; is packet of 10 pcs. of Two way switch (art.657.x))

Date: 2013-01-21

Signature: Alja Pregl





List of corresponding accessories of MODE program:

Model No. / Type reference	Description
Art.6541.x; 65411.x; 65412.x; 65413.x; 65414.x; 65415.x; 65416.x; 6542.x; 65421.x; 65422.x; 65423.x; 65424.x; 65425.x; 65426.x; 65427.x; 65428.x	Actuator cover (for 1 module) with indication or without
art.6581.x; 65811.x; 65812.x; 65813.x; 65814.x; 65815.x; 65816.x; 65821.x; 65822.x; 65823.x; 65824.x; 65825.x; 65826.x; 65827.x; 65828.x; 6582.x	Actuator cover (for 2 modules) with indication or without
art.6500.x	Empty spot cover (for 1 module)
art.6501.x	Mounting frame cover (for 1 module)
art.6502.x	Mounting frame cover (for 2 modules)
art.6503.x	Mounting frame cover (for 3 modules)
art.6504.x	Mounting frame cover (for 4 modules)
art.6505.x	Mounting frame cover (for 5 modules)
art.6507.x	Mounting frame cover (for 7 modules)
art.65021.x	Mounting frame cover (2 x 2 modules – horizontal)
art.65022.x	Mounting frame cover (2 x 2 modules – vertical)
art.65031.x	Mounting frame cover (3 x 2 modules – horizontal)
art.65032.x	Mounting frame cover (3 x 2 modules – vertical)
art.6511	Mounting frame (for 1 module)
art.6512	Mounting frame (for 2 modules)
art.6513	Mounting frame (for 3 modules)
art.6514	Mounting frame (for 4 modules)
art.6515	Mounting frame (for 5 modules)
art.6517	Mounting frame (for 7 modules)
art.65111	Mounting frame (for 1 module) – hollow walls
art.65121	Mounting frame (for 2 modules) – hollow walls

#### Type reference description

Example: art.6503.x (x is color code mark: 0 - white button, A - anthracit button, ...)

Note: Each accessory sold separately is marked with Model No. / Type reference on packaging

#### Additional information (if necessary)

#### Information complémentaire (si nécessaire)

Date: 2013-01-21

Signature: Alja Pregl

