



POWER



ARMOR



ALING OG



- Stepen zaštite **IP44**
- Usaglašeno sa IEC 60669-1,
- Ugradnja na zid pomoću vijaka prečnika do 4 mm

- Protection level **IP 44**
- Complied with IEC 60669-1,
- Wall mounting by screws dia. to 4 mm

- Usaglašeno sa IEC 60884-1,
- Complied with IEC 60884-1,



251.00

251.1A

Sklopka jednopolna
10AX/250V~ **IP44**

*Single-pole switch
10AX/250V~ **IP44***



2561.00

2561.1A

Taster sklopka za zvono
sa indikacijom 10A/250V~ **IP44**

*Bell push-button switch with
indication 10A/250V~ **IP44***

- Indikacija svetli kada
je sklopka isključena
- *Indication is on when
the switch is off*



257.00

257.1A

Taster sklopka za roletne 10A/250V~**IP44**
*Rolling shutter push-button switch
10A/250V~ **IP44***

- Dve taster sklopke za direktno pokretanje
elektromotora za podizanje i spuštanje roletni,
- Blokada koja sprečava istovremeno
kretanje u oba smera
- *Two push-button switches for direct activation
of rolling shutters lifting and lowering electric motor*
- *Interlock of movement in both
directions simultaneously*



2411.00

2411.1A

Priključnica dvopolna
16A/250V~ **IP44** sa
polikarbonatskim jezgrom

*Double-pole socket outlet
16A/250V~ **IP44** with
polycarbonate insert*



252.00

252.1A

Sklopka serijska
10AX/250V~ **IP44**

*Serial switch
10AX/250V~ **IP44***



2511.00

2511.1A

Sklopka jednopolna
sa indikacijom 10AX/250V~ **IP44**

*Single-pole switch with
indication 10AX/250V~ **IP44***

- Indikacija svetli kada
je sklopka isključena
- *Indication is on when
the switch is off*



241.00

241.1A

Priključnica dvopolna
16A/250V~ **IP44** sa
porcelanskim jezgrom

*Double-pole socket outlet
16A/250V~ **IP44**
with porcelain insert*



2412.00

2412.1A

Priključnica dvostruka
dvopolna 16A/250V~ **IP44** sa
polikarbonatskim jezgrom

*Twofold double-pole socket
outlet 16A/250V~ **IP44** with
polycarbonate insert*

2412P.1A

PREMOŠTENJA / *BRIDGED*



253.00

253.1A

Sklopka naizmjenična
10AX/250V~ **IP44**

*Two-way switch
10AX/250V~ **IP44***



2521.00

2521.1A

Sklopka serijska
sa indikacijom 10AX/250V~ **IP44**

*Serial switch
with indication 10AX/250V~ **IP44***

- Indikacija svetli kada
je sklopka isključena
- *Indication is on when
the switch is off*



242.00

242.1A

Priključnica dvostruka
dvopolna 16A/250V~ **IP44**
sa porcelanskim jezgrom

*Twofold double-pole
socket outlet 16A/250V~
IP44 with porcelain insert*



243.00

243.1A

Priključnica trolpolna
16A/440V~ **IP44**
sa porcelanskim jezgrom

*Tripolar socket outlet
16A/440V~ **IP44**
with porcelain insert*



254.00

254.1A

Sklopka ukrсна
10AX/250V~ **IP44**

*Intermediate switch
10AX/250V~ **IP44***



2531.00

2531.1A

Sklopka naizmjenična
sa indikacijom 10AX/250V~ **IP44**

*Two-way switch with indication
10AX/250V~ **IP44***

- Indikacija svetli kada
je strujno kolo otvoreno
- *Indication is on when
the circuit is open*



 **2451.00**

 **2451.1A**

Priključnica dvopolna 16A/250V~
IP44 sa polikarbonatskim jezgrom
Francuski standard

*Double-pole socket outlet 16A/250V~
IP44 with polycarbonate insert
French standard*

- Usaglašeno sa NF C 61-314
- *Complied with NF C 61-314*



 **2452.00**

 **2452.1A**

Priključnica dvostruka
dvopolna 16A/250V~ **IP44**
sa polikarbonatskim jezgrom
Francuski standard

*Twofold double-pole socket
outlet 16A/250V~ **IP44**
with polycarbonate insert
French standard*



255.00

255.1A

Taster sklopka za svetlo
10A/250V~ **IP44**

*Light push-button switch
10A/250V~ **IP44***




2541.00

2541.1A

Sklopka jednopolna sa
indikacijom 10AX/250V~ **IP44**

*Single-pole switch with
indication 10AX/250V~ **IP44***

- Indikacija svetli kada
je strujno kolo otvoreno
- *Indication is on when
the circuit is open*




261.0

261.1

Kutija razvodna
sa 3 uvođa za na zid
80x80 500V **IP54**

*Wall mounted junction box
with 3 cable glands
80x80 500V **IP54***



262.0

262.1

Kutija razvodna
sa 4 uvođa za na zid
80x80 500V **IP54**

*Wall mounted junction box
with 4 cable glands
80x80 500V **IP54***



2551.00

2551.1A

Taster sklopka za svetlo
sa indikacijom 10A/250V~ **IP44**

*Light push-button switch
with indication 10A/250V~ **IP44***

- Indikacija svetli kada
je sklopka isključena
- *Indication is on when
the switch is off*




259.00

259.1A

Sklopka jednopolna
sa indikacijom 16AX/250V~ **IP44**

*Single-pole switch
with indication 16AX/250V~ **IP44***

- Indikacija svetli kada
je sklopka uključena
- *Indication is on when
the switch is off*




263.0

263.1

Kutija razvodna
sa 6 uvođa za na zid
80x80 500V **IP54**

*Wall mounted junction box
with 6 cable glands
80x80 500V **IP54***



2423.0

2423.1

Uvodnica dupla za vertikalno spajanje kutija

*Double cable gland for vertical
connection of boxes*

- Za obezbeđenje potrebnog stepena zaštite
na mestu spajanja dve kutije,
- Obezbeđuje tačan međusobni položaj kutija
- *To provide the required level of protection
at the connection point of two boxes*
- *Ensures the correct inter-position of boxes*



256.00

256.xxx

Taster sklopka za zvono
10A/250V~ **IP44**

*Bell push-button switch
10A/250V~ **IP44***





2591.00

2591.1A

Sklopka jednopolna
indikatorska 16AX/250V~ **IP44**

*Single-pole switch
with indicator 16AX/250V~ **IP44***

- Indikacija svetli kada
je sklopka uključena
- *Indication is on when
the switch is on*



2422.1

Kutija dvostruka za montažu sklopki i priključnica

Twofold box for installation of switches and sockets outlets

- Omogućeno unutrašnje prespajanje provodnika
bez narušavanja stepena zaštite
- *Internal over-splicing of conductors possible
without interruption of protection level.*



11011.x ■ T180

11012.x ■ T210

Grlo E14 viseće
Lampholder E14 hanging

- Navoj za nazuvcu M10x1
- Threaded M10x1



12011.x ■ T180

12012.x ■ T210

Grlo E27 viseće
Lampholder E27 hanging

- Navoj za nazuvcu M10x1
- Threaded M10x1



11021.x ■ T180

11022.x ■ T210

Grlo E14 luster
Lampholder E14 chandelier

- Navoj za nazuvcu M10x1
- Threaded M10x1



12021.x ■ T180

12022.x ■ T210

Grlo E27 luster
Lampholder E27 chandelier

- Navoj za nazuvcu M10x1
- Threaded M10x1



11023.x ■ T180

11024.x ■ T210

Grlo E14 luster sa obodom
Lampholder E14 chandelier with flange

- Navoj za nazuvcu M10x1
- Threaded M10x1



12023.x ■ T180

12024.x ■ T210

Grlo E27 luster sa obodom
Lampholder E27 chandelier with flange

- Navoj za nazuvcu M10x1
- Threaded M10x1



11031.x ■ T180

11032.x ■ T210

Grlo E14 luster kratko
Lampholder E14 chandelier short

- Navoj za nazuvcu M10x1
- Threaded M10x1



12031.x ■ T180

12032.x ■ T210

Grlo E27 luster kratko
Lampholder E27 chandelier short

- Navoj za nazuvcu M10x1
- Threaded M10x1



11041.x ■ T180

11042.x ■ T210

Grlo E14 stojeće za vijak
Lampholder E14 standing for screw

- Za vezu sa vijkom
- Connection with screw



12041.x ■ T180

12042.x ■ T210

Grlo E27 stojeće za vijak
Lampholder E27 standing for screw

- Za vezu sa vijkom
- Connection with screw



11043.x ■ T180

11044.x ■ T210

Grlo E14 stojeće za utiskivanje
Lampholder E14 standing for indentation

- Za vezu utiskivanjem
- Connection with indentation



12043.x ■ T180

12044.x ■ T210

Grlo E27 stojeće za utiskivanje
Lampholder E27 standing for indentation

- Za vezu utiskivanjem
- Connection with indentation



12013.x ■ T180

12014.x ■ T210

Grlo E27 zidno - ravno
Lampholder E27 for wall - flat

- Za vezu sa vijkom
- Connection with screw



12015.x ■ T180

12016.x ■ T210

Grlo E27 zidno - ravno
Lampholder E27 for wall - flat

- Za vezu sa vijkom
- Connection with screw

KERAMIČKA SIJALIČNA GRILA / CERAMIC LAMPHOLDERS



1300

Grlo E27 stojeće
Lampholder E27 standing

- sa metalnim nosačem
- with metal bracket



1330

Grlo E27 viseće
Lampholder E27 hanging

- Navoj za nazuvcu M10x1
- Threaded M10x1